

F1G.2

8	
ş	
Se	
ove.	
love	
olove	
lol ove	
dol ove	
dol ove	
Tool ove	
Tool ove	
n Tool overview • [Took DEM1]	
n Tool ove	
en Tool ove	
en Tool ove	
een Tool ove	
reen Tool ove	
iteen Tool ove	
Green Tool ove	
Green Tool ove	
Green Tool ove	
t Green Tool ove	
at Green Tool ove	

Start time,	Start time: 2000-10-01 00:00:00	End time:	End time : 2000-11-01 23:59:59		
Dramel	Tear	1 D	12,1401.2	И	
À	TS.	6182.59		8182.59	
DCS	15		455.40	455.40	
Exhaust	M.3	11309540.24	11252595.11	22562135.35	
7	cos	8447.01		8447.01	
NZ	SI	433219.72	1876721.98	2309941.70	
N2 Carousel	75	354198.17		354198.17	
N2 Purge	75	193544.55	6305.37	199849 92	
N2-Bubbi	75	360.59		89 096	
NH3	75		0.00	0.00	
Q.	75	259.55		259.55	
02	75	12991.83		12991.83	
PH3/N2	308	·	1391717.47	1391717.47	
Power	Kwh	53.87	41.28	95.15	
SiH4	75	,	00'0	00.00	
Teos	75		5613.86	5613.86	
Water	7	1945579.87	1589338.20	3534918.07	
1	TO CONTRACTOR OF THE STATE OF THE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STA	OCOVERNICATION OF THE PROPERTY	Commercial and the commercial an	stranto e montamento e e se se estado	

Print Setup Export

WHE BILLY Ann WHE COD SIGNED

F 1 G . 3

Piri

Filter

下19.4

Green Tool Configuration editor - [Tool: DEM1,]

Consumables

F1G.5


		1 Pinis	ig inimini	(amount of	in aming	watering	NOT 14		,	 	1 1
		Constant Constant	(1.5e. reletitere	Senso sensor	States intition	Moera op	IN. Contaction		5.		12.13 Ri 02 Feb 2001
		2 degrades	on fraggerine	(Seemingson)	figur trasper str. (Base		regramagió .				
3			Ī	1	-	Ï	1		ĺ		
		»	' >>	»	»	»	×	>>	*		
measured per Minute	(pus)										
15	ų,	»		»	*	»	»	»	»		
alik)			DO 4. 02-Low						İ		CAS I
	When		100	L	L	L	L	L			
Source oxit	c	»	1000	»	*	»	»	»	 *		0)10 W W W W W W W W W W W W W W W W W W W
.09	Correction		_			Ē	Ľ		Ē		===
oje er	- Section of the sect	×	»	»	**	×	35	35	»	Cancel	0000
Consumable: 02	I/O Channel	A0 3: 02:High	* A0 4 02:Low							š	Conference of the conference o


16.6

		(Caparina)	Total print	Calcino rectors	Security Security	P. Lower and Comments			4		12.12. Fri 02.15-bb 2001
weasured per Hour	 	[ss]	*	<u>*</u>	 *	***	***	»			
Units Kwh measured	Pus	*	*	*	*	*	*	**			G. C. B.C. B.C. C.
Source OX11	Correction When	× 28.319	★ 28 82	(%)	× 113.283	* 4 964	001 ×	× ×			No. 1 of the control
Consumable: Power	I/O Chagnel Core	Power zone. 2 🖎	* Power zone 3	Power zone: 4 💸 "	+ Power zone. 5	Power zone: 6				DK Cancel	

19.7

Master Control Station - User, SuperUsr (Tool: DEM1) IT upe1: 0X111





P19.9




FIG. 10

100							
GN 76		N2 Latouse 51		NZ+1403	E ST		
	00.0	7	00.56	45078.3C	()	2. P. P. C.	4
WK23 2000-08-05	00.0	209270.93	100.10	30542.02	2.69		policial .
wk24 2000-06-12	900	56008.93	101 35	15117.32	25.80		
Wk.25 2000-06-19	0000	248741.58	104.47	49076.31	6.48		
WK26 2000:06:26	0.00	166886.02	55.41	19722.24	3.80		
						and with the first state and training to the contract of the the c	
	AND THE PROPERTY OF THE PROPER	CARATT SERVICES CONTINUES AND SERVICES	MESS-A-ENTRINS-A-NORM ANTARAMENTALISM IN-A-LIGHT	electronate establishment entransper	TOTAL D'ALGONIA A GRES PÉR-ALGONIA MASA MALANTA MASA MASA MASA MASA MASA MASA MASA MA	-	
1000 1000		373540	63,997	10.00	6.3) - 10.435-04	1 7 7 7 7 1 1
Sample date: 2000-05-29			Sample at 1		Nr of samples: 5		
	Channe	Channel choice Print	nt Printi-Setup	Export	Mark Block	Unmark Block	

19.1